

Expanded BRFSS, 2003

Chemung, Schuyler, Tioga

Table of Contents:

Optional Module 4: Cholesterol Awareness.....	1
Optional Module 6: Disability.....	3
Optional Module 9: Fruits and Vegetables.....	4
Optional Module 12: Hypertension Awareness.....	5
Optional Module 13: Injury Control - Falls.....	6
Optional Module 14: Immunization.....	7
Optional Module 15: Oral Health.....	11
Optional Module 24: Weight Control.....	13
Optional Module 25: Cervical Cancer.....	17

Expanded BRFSS, 2003 - New York State Department of Health

Ever had Blood Cholesterol Checked

Chemung, Schuyler, Tioga

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	490	77.7	118	22.3	3.9
Gender					
Male	181	72.8	59	27.2	6.4
Female	309	82.2	59	17.8	4.4
Age					
18-34	72	51.8	61	48.2	9.3
35-54	198	79.6	46	20.4	5.7
≥55	213	95.8	11	4.2	2.6
Education					
≤High School	235	75.2	63	24.8	5.9
>High School	254	80.3	54	19.7	5.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had Blood Cholesterol Checked in the Past Five Years

Chemung, Schuyler, Tioga

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	453	72.7	149	27.3	4.1
Gender					
Male	164	67.1	73	32.9	6.7
Female	289	77.9	76	22.1	4.7
Age					
18-34	66	47.4	65	52.6	9.3
35-54	181	73.2	62	26.8	6.2
≥55	202	92.4	20	7.6	3.4
Education					
≤High School	215	69.0	80	31.0	6.2
>High School	237	76.5	68	23.5	5.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Adults with a Disability

Chemung, Schuyler, Tioga

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	141	20.1	481	79.9	3.4
Gender					
Male	46	16.9	203	83.1	4.8
Female	95	23.2	278	76.8	4.7
Age					
18-34	21	13.0	119	87.0	5.9
35-54	49	18.4	198	81.6	5.2
≥55	71	29.0	157	71.0	6.5
Education					
≤High School	79	23.0	226	77.0	5.1
>High School	61	17.1	254	82.9	4.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Eat Five Fruits or Vegetable Servings per Day

Chemung, Schuyler, Tioga

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	151	23.0	473	77.0	3.6
Gender					
Male	50	19.2	200	80.8	5.3
Female	101	26.7	273	73.3	4.9
Age					
18-34	32	22.0	108	78.0	7.4
35-54	51	19.6	197	80.4	5.2
≥55	67	28.2	162	71.8	6.7
Education					
≤High School	61	18.6	246	81.4	4.9
>High School	90	27.4	225	72.6	5.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Been Told Have High Blood Pressure by a Medical Professional

Chemung, Schuyler, Tioga

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	176	26.3	445	73.7	3.8
Gender					
Male	61	23.3	187	76.7	5.6
Female	115	29.2	258	70.8	5.0
Age					
18-34	14	9.5	125	90.5	5.0
35-54	50	19.6	197	80.4	5.3
≥55	112	49.8	116	50.2	7.4
Education					
≤High School	101	29.8	203	70.2	5.6
>High School	73	22.6	242	77.4	5.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Fall in Past Three Months

Chemung, Schuyler, Tioga

Demographic Groups	n ¹	No fall % ²	C.I. ³	n	Fall with injury %	C.I.	n	Fall no injury %	C.I.
Total	290	79.4	4.6	24	5.9	2.5	52	14.8	4.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Flu Shot in the Past 12 Months, Aged 65 and Older

Chemung, Schuyler, Tioga

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	102	74.0	43	26.0	7.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Flushot in the Past 12 Months

Chemung, Schuyler, Tioga

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	227	33.7	393	66.3	4.1
Gender					
Male	73	28.1	175	71.9	6.1
Female	154	38.9	218	61.1	5.5
Age					
18-64	123	23.7	345	76.3	4.1
≥65	102	74.0	43	26.0	7.6
Education					
≤High School	120	35.8	183	64.2	6.0
>High School	107	31.8	208	68.2	5.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Pneumonia Shot, Aged 65 and Older

Chemung, Schuyler, Tioga

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	101	75.6	39	24.4	7.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Pneumonia Shot

Chemung, Schuyler, Tioga

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	157	25.2	417	74.8	3.9
Gender					
Male	60	26.8	154	73.2	6.4
Female	97	23.8	263	76.2	4.8
Age					
18-64	56	12.3	371	87.7	3.3
≥65	101	75.6	39	24.4	7.6
Education					
≤High School	89	29.6	189	70.4	6.0
>High School	68	21.2	226	78.8	5.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Have Had Permanent Teeth Removed because of Tooth Decay or Gum Disease

Chemung, Schuyler, Tioga

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	366	56.5	250	43.5	4.4
Gender					
Male	136	52.3	112	47.7	6.8
Female	230	60.5	138	39.5	5.5
Age					
18-34	36	22.5	104	77.5	7.2
35-54	140	58.7	107	41.3	6.8
≥55	186	83.7	36	16.3	5.3
Education					
≤High School	222	71.0	78	29.0	6.0
>High School	142	42.5	172	57.5	6.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Having Seen a Dental Professional in the Past 12 Months

Chemung, Schuyler, Tioga

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	395	70.6	155	29.4	4.3
Gender					
Male	155	68.2	68	31.8	6.8
Female	240	73.0	87	27.0	5.4
Age					
18-34	95	68.9	41	31.1	8.6
35-54	161	68.1	73	31.9	6.6
≥55	134	75.6	39	24.4	7.7
Education					
≤High School	161	60.9	93	39.1	6.8
>High School	233	79.3	61	20.7	5.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Trying to Lose Weight

Chemung, Schuylers, Tioga

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	294	46.4	327	53.6	4.4
Gender					
Male	89	35.2	159	64.8	6.5
Female	205	56.8	168	43.2	5.5
Age					
18-34	57	37.8	83	62.2	8.6
35-54	125	48.4	122	51.6	6.9
≥55	108	50.8	119	49.2	7.3
Education					
≤High School	131	41.8	174	58.2	6.2
>High School	162	50.9	152	49.1	6.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Trying to Maintain Current Weight of Those not Trying to Lose Weight

Chemung, Schuyler, Tioga

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	206	64.1	120	35.9	5.8
Gender					
Male	91	60.2	68	39.8	8.3
Female	115	69.7	52	30.3	7.7
Age					
18-34	51	63.5	32	36.5	11.3
35-54	75	63.0	47	37.0	9.4
≥55	78	66.3	40	33.7	9.6
Education					
≤High School	110	61.2	62	38.8	8.3
>High School	95	67.0	58	33.0	8.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Eating Fewer Calories or Less Fat to Lose or Maintain Weight

Chemung, Schuyler, Tioga

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	364	71.9	130	28.1	4.5
Gender					
Male	111	61.8	67	38.2	7.9
Female	253	80.0	63	20.0	4.9
Age					
18-34	69	59.4	39	40.6	10.2
35-54	146	73.1	52	26.9	6.8
≥55	146	81.1	36	18.9	6.6
Education					
≤High School	172	69.2	67	30.8	6.8
>High School	190	74.1	63	25.9	6.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Using Physical Exercise to Lose or Maintain Weight

Chemung, Schuyler, Tioga

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	344	71.2	155	28.8	4.4
Gender					
Male	127	72.4	53	27.6	7.0
Female	217	70.3	102	29.7	5.4
Age					
18-34	85	79.0	23	21.0	8.3
35-54	148	74.2	52	25.8	6.8
≥55	108	62.3	77	37.7	7.8
Education					
≤High School	144	64.1	96	35.9	6.6
>High School	198	77.3	59	22.7	5.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Pap Smear

Chemung, Schuylers, Tioga

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	289	97.6	8	2.4	1.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Pap Smear in Past 3 Years

Chemung, Schuyler, Tioga

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	256	87.7	41	12.3	3.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval